

ROOT NODULE BACTERIA  
STORE IN A COOL PLACE

## **Nodulaid<sup>®</sup>**

A potent inoculant for nitrogen fixation and increased yields

BASF Australia Ltd ABN 62 008 437 867  
Level 12, 28 Freshwater Place Southbank VICTORIA 3006, AUSTRALIA  
Website: [www.agro.basf.com.au](http://www.agro.basf.com.au)

BASF New Zealand Ltd 110297  
Level 4, 4 Leonard Isitt Drive, Auckland Airport AUCKLAND 2022, NEW ZEALAND  
Website: [www.agro.basf.com.nz](http://www.agro.basf.com.nz)

® Registered trademark of BASF, 2013  
Customer Service Hotline: 1800 558 399

**DIRECTIONS FOR USE with groups AL, B, C****SLURRY INOCULATION**

1. Prepare a suitable polymer.
2. Prepare a slurry by mixing the polymer with the entire contents of this pack and 5L of cool, clean water.
3. Stir to ensure inoculant is thoroughly dispersed.
4. Pour slurry over the correct weight of seed and mix until all the seeds are well coated. Mixing can be done in clean concrete mixer or similar vessel, or added to the seed during transfer stages e.g. auguring seed.
5. Sow inoculated seed as soon as possible or within 24 hours.

**DIRECTIONS FOR USE with Group's E, F, G, N & H****SLURRY INOCULATION**

1. Prepare a slurry by mixing the entire contents of this pack into 5 litres of cool, clean water.
2. Stir to ensure inoculant is thoroughly dispersed. Wait for a minimum of 15 minutes, stirring occasionally to allow inoculant adhesive to dissolve.
3. Pour slurry over the correct weight of seed and mix until all seeds are wet. Mixing can be done in a clean concrete mixer or similar vessel, or added to seed during transfer stages, e.g. auguring seed.
4. Use the slurry mix within 24 hours. Sow inoculated seed as soon as possible or store for up to 3 days in a COOL place, away from sunlight.

**FURROW APPLICATION INSTRUCTIONS**

1. Prepare in furrow solution directly in a clean liquid injection cart.
2. Fill cart with cool, clean water and either add the Nodulaid directly to the water and mix well or place the Nodulaid into a porous bag (eg calico) and suspend inside the tank while filling to prevent blockages.
3. Apply at 50-100L/Ha.
4. Use solution within 24hrs.
5. Ensure filters are 80 mesh or coarser and nozzles > 0.2mm are used to avoid blockages.

**PRECAUTIONS**

Store this pack of inoculant in a COOL place. Do not store opened packs of inoculant. Do not use out-of-date inoculants. Avoid contact with the eyes - may cause irritation. Avoid inhaling dust - may cause irritation.

**PESTICIDES**

Most pesticides are toxic to inoculants. Do not use any vessel which has contained poisonous sprays or dusts. Check with your State Department of Agriculture or BASF for compatibility.

**FERTILIZERS**

Slurry inoculated seed should never be mixed with very acid or alkaline fertilizer which will KILL the inoculant bacteria. Excessive use of starter Nitrogen fertilizer, or high levels of soil nitrate can delay or reduce nodulation.

**CONDITIONS OF SALE**

All conditions and warranties rights and remedies implied by law or arising in contract or tort whether due to the negligence of BASF Australia Ltd ABN 62008437867 or otherwise are hereby expressly excluded so far as the same may legally be done provided however that any rights of the Buyer pursuant to non excludable conditions or warranties of the Competition and Consumer Act 2010 or any relevant legislation of any State are expressly preserved but the liability of BASF Australia Ltd or any intermediate Seller pursuant thereto shall be limited if so permitted by the said legislation to the replacement of the goods sold or the supply of equivalent goods and all liability for indirect or consequential loss or damage of whatsoever nature is expressly excluded. This product must be used or applied strictly in accordance with the instructions appearing hereon. This product is solely sold for use in Australia and must not be exported without the prior written consent of BASF Australia Ltd.

BASF Australia Ltd  
ABN 62 008 437 867  
Level 12, 28 Freshwater Place  
Southbank VICTORIA 3006  
AUSTRALIA

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY PHONE 1800 803 440 TOLL FREE – ALL HOURS – AUSTRALIA WIDE

BASF New Zealand Ltd  
110297  
Level 4, 4 Leonard Isitt Drive  
Auckland Airport AUCKLAND 2022  
NEW ZEALAND

EMERGENCY PHONELINK 0800 944 955 TOLL FREE – ALL HOURS – NEW ZEALAND WIDE