

Safety data sheet

Page: 1/13

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

1. Substance/preparation and manufacturer/supplier identification

Product name: Cabrio® Fungicide

Use: crop protection product, fungicide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)
Level 12, 28 Freshwater Place Southbank
Victoria 3006, AUSTRALIA
Telephone: +61 3 8855-6600
Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]
BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Aspiration hazard: Cat. 1

Acute toxicity: Cat. 4 (oral)

Acute toxicity: Cat. 4 (Inhalation - mist)

Skin corrosion/irritation: Cat. 2

Serious eye damage/eye irritation: Cat. 2A

Specific target organ toxicity — single exposure: Cat. 3 (irritating to respiratory system)

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

Pictogram:



Signal Word:
 Danger

Hazard Statement:

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P261	Avoid breathing mist.
P264	Wash contaminated body parts thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves and eye protection or face protection.

Precautionary Statements (Response):

P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or physician.
P303 + P352	IF ON SKIN (or hair): Wash with plenty of soap and water.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or physician if you feel unwell.
P330	Rinse mouth
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical attention.
P337 + P311	If eye irritation persists: Call a POISON CENTER or physician.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents and container to hazardous or special waste collection point.
------	-----------------------------------------------------------------------------------

Other hazards which do not result in classification:
 See section 12 - Results of PBT and vPvB assessment.

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

crop protection product, fungicide, Emulsifiable concentrate (EC)

Hazardous ingredients

Pyraclostrobin

Content (W/W): 23.6 %
CAS Number: 175013-18-0

Acute Tox.: Cat. 3 (Inhalation - mist)
Skin Corr./Irrit.: Cat. 2
STOT SE: Cat. 3 (irr. to respiratory syst.)
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 100
M-factor chronic: 10

Hydrocarbons, C10-C13, aromatics, <1% naphthalene ND [EXT]

Content (W/W): < 75 %
CAS Number: 64742-94-5

Asp. Tox.: Cat. 1
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 2

2-ethylhexan-1-ol

Content (W/W): < 5 %
CAS Number: 104-76-7

Flam. Liq.: Cat. 4
Acute Tox.: Cat. 5 (oral)
Acute Tox.: Cat. 4 (Inhalation - mist)
Skin Corr./Irrit.: Cat. 2
Eye Dam./Irrit.: Cat. 2A
STOT SE: Cat. 3 (irr. to respiratory syst.)
Aquatic Acute: Cat. 3

Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., calcium salts

Content (W/W): < 5 %
CAS Number: 84989-14-0

Acute Tox.: Cat. 5 (oral)
Acute Tox.: Cat. 5 (dermal)
Skin Corr./Irrit.: Cat. 2
Eye Dam./Irrit.: Cat. 1
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 3

naphthalene

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

Content (W/W): < 1 %
CAS Number: 91-20-3

Flam. Sol.: Cat. 2
Acute Tox.: Cat. 4 (oral)
Carc.: Cat. 2
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 1
M-factor chronic: 1

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:

water spray, foam, dry powder, carbon dioxide

Specific hazards:

carbon monoxide, hydrogen chloride, carbon dioxide, nitrogen oxides, organochloric compounds, sulfur oxides

The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

contaminated extinguishing water in accordance with official regulations. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods for cleaning up or taking up:

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Storage stability:

Storage duration: 60 Months

8. Exposure controls and personal protection

Components with occupational exposure limits

naphthalene, 91-20-3;

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

TWA value 10 ppm (ACGIHTLV)
Skin Designation (ACGIHTLV)
Danger of cutaneous absorption
TWA value 52 mg/m³ ; 10 ppm (AU NOEL)
STEL value 79 mg/m³ ; 15 ppm (AU NOEL)

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid
Colour: dark yellow
Odour: moderate odour, of the solvent contained in the product
Odour threshold: Not determined since harmful by inhalation.

pH value: approx. 5 - 7
(CIPAC standard water D, 1 %(m), 20 °C)

solidification temperature: approx. -10 °C
Information applies to the solvent.

Boiling range: approx. 244 - 292 °C
Information applies to the solvent.

Flash point: 98 °C (ISO 2719)

Evaporation rate:
not applicable

Flammability (solid/gas): not highly flammable

Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Ignition temperature:	475 °C	(Directive 92/69/EEC, A.15)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Explosion hazard:	Based on the chemical structure there is no indication of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	approx. 0.003 hPa (20 °C) Information applies to the solvent.	
Density:	approx. 1.06 g/cm ³ (20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	emulsifiable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	approx. 17.5 mPa.s (20 °C, 100 1/s)	
Viscosity, kinematic:	8.5 mm ² /s (40 °C)	

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See SDS section 7 - Handling and storage.

Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
------------------------	-----------------------------------------------------------------

Substances to avoid:
strong acids, strong bases, strong oxidizing agents

Hazardous reactions:
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability:
The product is stable if stored and handled as prescribed/indicated.

Reactivity:
No hazardous reactions if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data:
LD50rat (oral): > 500 mg/kg (OECD Guideline 401)

Acute inhalation toxicity

LC50 rat (by inhalation): 1.213 mg/l 4 h (OECD Guideline 403)
An aerosol was tested.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Assessment of acute toxicity

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Of moderate toxicity after short-term inhalation.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11.
(Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects:
Skin contact causes irritation. Eye contact causes irritation. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Experimental/calculated data:
Skin corrosion/irritation rabbit: Irritant. (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)
The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish:

LC50 (96 h) 0.027 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 0.0649 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 3.32 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Pyraclostrobin

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

Information on: Pyraclostrobin
Bioaccumulation potential:
Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)
Accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice:
Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:
Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes

Special precautions for user: None known

Further information

Hazchem Code:3Z
IERG Number:47

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Marine pollutant: YES
Special precautions for user: EmS: F-A; S-F

Air transport

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (PYRACLOSTROBIN, SOLVENT NAPHTHA)
Transport hazard class(es): 9, EHSM
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Further information

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information**Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval Number: 55733

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet
Date / Revised: 19.01.2023
Product: **Cabrio® Fungicide**

Version: 6.1

(30607038/SDS_CPA_AU/EN)

Date of print): 14.03.2023

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.